Best Available Copy



AD____

REPORT NUMBER #1

EIGHTH ANNUAL SHOCK SOCIETY MEETING

FINAL REPORT

Sherwood M. Reichard James A. Cook Daniel L. Traber Robert F. Bond

November 1, 1985

Supported by

U. S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND Fort Detrick, Frederick, Marylana 21701

Contract No. DAMD 17-85-G-5027

Shock Society Medical College of Georgia Augusta, GA 30912



Approved for public release; distribution unlimited.

The findings in this report are not to be construed as an official Department of Army position unless so designated by other authorized documents.

2003012/13/

				, port				
	ىرەر ئەردىدىدىدىدىدىكىدىرى <u>.</u>		motives to be the most control of the	nemerienskerien A —	ACTION OF CITY OF COLUMN	eraninanini	natur at an artificial and a second	
ACCUPATION OF	PARTICINA	OF THIS PAGE	•	<u> 4D-</u>	A166.	550		
			REPORT DOCU					
10 0000	SCURITY CLA	KURCATION		16. ALSTACTIVA				
UNCLASSIFIED								
22 SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT					
2b. DECLASSIFICATION / DOWNSTRADING SCHEDULE			Approved for public release; distribution unlimited.					
on second second second second								
4. PERFORM	4. PERFORMING ORGANIZATION REPORT NUMBER(S)			5. MONITORING ORGANIZATION REPORT NUMBER(S)				
					•			
SA NAME C	F PERFORMING	ORGANIZATION	Sh. OFFICE SYMBOL	7a. NAME OF MONITÓRING ORGANIZATION				
Shock S	Society		(If applicable)					
	6c. ADDRESS (City, State, and ZIP Code) Medical College of Georgia				7b. ADDRESS (City, State, and ZIP Code)			
	. Georgia							
	EL NAME OF FUNDING SPONSORING EL OFFICE SYMBOL			9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER				
	Research & Development Command			DAMD17-85-G-5027				
BE ADDRESS	(City, State, and	1 ZIP Code)		10. SOURCE OF FUNDING NUMBERS				
	. •			PROGRAM	PROJECT	TACK	WORK UNIT	
Fort Detrick Frederick, Maryland 21701-5012				62772A	NO. 3S1- 62772A874		ACCESSION NO.	
	Aude Security C			02//ZA	02//2A0/4	AB	204	
	•	•					•	
Eighth A	unual Sno	ck Society Mee						
12. PERSONA	L AUTHOR(S)		Sherwood; Cook,	James A.; T	raber, Dani	el L.; and		
Bond Robert F. 130. TYPE OF REPORT 130. TIME COVERED 05 /11 /1 14. DATE OF REPORT (Year, March, Day) 15. PAGE COUNT							COLLEG	
Fina		FROM 85/	5/1 TO 85/11/1		Nov i	13. 784	8	
16. SUPPLEME	NTARY NOTAT	7ON		_				
17. *CONT	D COSATI	CODES	IB. SUBJECT TERMS (C	Continue on manual	of common and	ملط مقانستان	of graphed	
FIELD	the state of the s							
06	05		Elcosanoids, Lung, ARDS, Vasculature					
06	16	l						
			nd identify by black n		d aut af Cha	ala abaiaa	al bu	
			osia i on Eicos: University of Sc					
			a II, the Lung					
Univers	ity of Te	kas, and Ulf H	aglund, M.D., Pl	h.D., Univer	sity of Lund	, Sweden a	and	
			Muscle Control (d, Ph.D.,	Orai	

For details of program and abstracts of presented papers see CIRCULATORY SHOCK, 1985. VOL. 16: 29-101, published by Alan R. Liss, Inc., 41 E. 11th St., New York, NY 10003.

20. DISTRIBUTION/AVAILABILITY OF ASSTRACT	21. ABSTRACT SECURITY CLASSIFICATION
□UNCLASSIFIED/UNUMITED ☑ SAME AS RPT. □ OTIC USERS	01102120021122
22a. NAME OF RESPONSIBLE INDIVIDUAL Jane Idoine	301/663-7325 Area Code) 222 OFFICE SYMBOL SGRD-RMS
Jane Laorne	301/663-7323 SGRD-RMS

DO FORM 1473, 84 MAR

83 APR edition may be used until exhausted. All other editions are obsolets.

SECURITY CLASSIFICATION OF THIS PAGE

INTRODUCTION

The Eighth Annual Meeting of the Shock Society was held June 9-June 12, 1985 at Baltimore, Maryland. This report summarizes three symposia held at the meeting. Details of the program and abstracts of presented papers are available in CIRCULATORY SHOCK, 1985, VOL. 16: 29-101, published by Alan R. Liss, Inc., 41 E. 11th St., New York, NY 10003.

Acces	sion For						
NTIS DPIC							
Uncar incoded Justification							
By							
Distribution/							
Availability Codes							
Dist	Avail and Special						
A-1							

INGPECTED 3

Shock Society Symposia

SYMPOSIUM I

EICOSANOIDS IN AND OUT OF SHOCK

James A. Cook, Ph.D., Medical University of South Carolina

J. Raymond Fletcher, M.D., Ph.D., Vanderbilt University

Dr. Bryan Smith gave an overview of the biological importance of eicosanoids concerning a brief summary of what is currently known about lipoxygenase and cyclo-oxygenase enzymatic pathways and their structure and function. Dr. Perry Halushka gave a talk on the role of elcosanoids in disease states other than shock. In particular, he focused his presentation on diabetes mellitus, a disease state characterized by increased platelet aggregability and increased platelet thromboxane A, synthesis. My presentation dealt with the importance of cyclo-oxygenase products in shock-like states. The temporal sequence of thromboxane A, and prostaglandin synthesis in endotoxic shock was discussed and their effect on certain hemodynamic and hematologic sequelae. Potential interactions of cyclo-oxygenase and lipoxygenase products in endotoxemia was also discussed. Dr. Dietrich Keppler discussed the role of leukotrienes in endotoxin action. He provided evidence for increased synthesis of leukotrienes in endotoxic shock and the beneficial effects of lipoxygenase inhibitors and leukotriene receptor antagonists. The symposium was ended with a presentation by Dr. Raymond Fletcher concerning the significance of eicosanoids in medicine and clinical implications for shock therapy. Evidence for increased synthesis of cyclooxygenase products in patients with sepsis was presented. He also discussed what is known experimentally about the beneficial effects of certain cyclooxygenase inhibitors and their potential use as adjunctive therapy in patients with sepsis.

Contents Note: Biological ingertance of Electronomics. The Englishment of Cyclo-Cryamane Products in short-like writes; The Nach of Enkotrenes in Solother detion; The Nignificance of Electronomical in Medicine and Chine al Implications for whoch Thirapy:

Adult Respiratory Distribusing name; Tung Consisting following Burn Consultant Sung Conditions for Sung Consisting following Burn Consultant Sung Conditions in Medical Sung Conditions for Sung Conditions

Shock Society Symposia

SYMPOSIUM II

Summary of Symposium for the Shock Society

The Lung in Shock - Dr. Daniel Traber and Dr. Haglund, Chairmen

The first speaker, Dr. Roger Spragg, presented a talk on adult respiratory distress syndrome -- general overview. Dr. Spragg discussed the fact that adult respiratory distress syndrome was a major cause of morbidity and mortality in trauma and septic patients. This entity had a 60% mortality associated with it. The individuals that survived the injury associated with this disease of the microvasculature oftentimes became permanently debilitated from a pulmonary standpoint. The disease itself is first manifested as a pulmonary edema. The edema itself is associated with depositions of polymorphonuclear cells in the pulmonary microvasculature with damage to the endothelial (alveolar type I) cells. Lavage materials optained from patients also show that antiproteases have been inhibited either by complexing with proteolytic enzymes or interacting with oxygen free radicals. These same studies show a deficiency of surfactant materials in the area. As the patients recover from injury, there is a marked increase in the numbers of alveolar type 2 cells lining the alveolar capillary areas.

The next speaker on the program was Dr. George Kramer, who discussed the lung following burn injury. The data he presented indicated that there was not marked lung damage in this injury to the skin. There is an edema formation, but unlike the adult respiratory distress syndrome, this edema was associated with a low protein content. The vasoconstrictor thromboxane is also present in the pulmonary lymph, indicative of the formation of edema fluid, as a result of an increase in the microvascular pressure. Some investigators have reported a penieability type of pulmonary edema in burned rats; this has not been substantiated in other animal species, however. In individuals who have sustained injuries to the lung as a result of the inhalation of smoke there is a pulmonary edema again associated with the deposition of polymorphonuclear cells, apparently the result of an interaction of the chemicals of smoke with cells in the lung which release chemotactic factors.

The next speaker was Dr. Gunther Schlag, who spoke on the lung following trauma and hypovolemia. Here it was demonstrated that lung microvascular damage, increase in microvascular permeability, and shock followed multiple trauma and hypovolemia. Again, this damage to the microvasculature occurred as a result of an activation of polymorphonuclear cells, their deposition and degranulization in the pulmonary vasculature, their release of proteolytic enzymes and a fall in active antiprotease activities.

The next talk was presented by Dr. Traber and entitled "The <u>lung in sepsis"</u>, Dr. Traber reiterated the point presented previously by Dr. Spragg that in sepsis, the lesion that is dominant is a change in pulmonary microvascular permeability with edema formation. The permeability changes are again associated with the release of proteolytic enzymes and oxygen free radicals, either from polymorphonuclear cells or pulmonary macrophages. Dr. Traber pointed out that a majority of the studies done in audmal models had

demonstrated the same lesions seen in humans. Most of this work was done in animals who had low cardiac output. His group had developed high cardiac output sepsis. They found with the elevations in outputs, the lung lesion was not as severe. Evidence was presented that this might be the result of a washing of these polymorphonuclear cells from the pulmonary microvasculature, by the increases in blood flow associated with the elevated outputs.

As discussion that followed these presentations would indicate, adult respiratory distress syndrome and other forms of pulmonary microvascular damage associated with trauma and sepsis are commonly associated with deposition of polymorphonuclear cells and the release of mediators. Mediators may also be produced by other phagocytic cells of the lung. Mediators then induce permeability changes in the microvasculature and subsequent leakiness and damage to the rulmonary endothelial type I alveolar cells. This lung damage then leads to the ultimate death of the subject in some 60% of the cases. Those that survive have additional injury resulting from the healing processes that ensue. The mechanisms responsible for the deposition of the cells and the period of time that they remain sequestered in the microcirculation require considerable further study as to the mechanisms and mediators that are responsible.

Shock Society Symposia

SYMPOSIUM III. VASCULAR SMOOTH MUSCLE CONTROL

Co-Chairmen: Robert F. Bond, Ph.D.
Oral Roberts University

Bart Chernow, M.D. Bethesda Naval Hospital

This symposium entitled "Vascular Smooth Muscle Control" was designed to provide up-to-date information concerning the behavior of vascular smooth muscle during shock and to review the clinical management of the peripheral vasculature of patients in shock.

The first presentation given by Dr. Harvey Sparks, Jr., from Michigan State University, was "Mediation of flow dependent arterial dilation by endothelial cells". In his talk Dr. Sparks provided evidence against the theory of an ascending vasodilation from the microcirculation. He also showed that receptor blockade had no effect on large artery dilation. He contends that variations in blood flow initiate an intimal reaction causing release of a non-prostaglandin metabolite of arachidonic acid which, in turn, stimulates vascular smooth muscle guanylate cyclase leading to increased cyclic GMP and vasodilation.

The second paper given by Dr. Robert Bond from Oral Roberts University was entitled "Intrinsic versus extrinsic regional vascular control during hemorrhagic hypotension and shock". This study, which used data taken from both whole organ and isolated vascular tissue, contrasted the relative importance of autoregulatory and adrenergic nervous system mechanisms in three major vascular beds (i.e., skeletal muscle, cutaneous and mesenteric) during compensatory and decompensatory shock. This author concludes that each vascular bed has its own unique set of control mechanisms which allow independent regulation and down regulation of the adrenergic nervous system during times of stress induced by hemorrhage.

The third paper was presented by Dr. Julian Lombard from the Medical College of Wisconsin and was entitled "Vascular smooth muscle transmembrane potentials during hypotension stress". Dr. Lombard showed that the transmembrane potentials recorded from rat mesenteric veins play an important role in the vascular smooth muscle response to stress. He showed that depolarization occurs during compensation and hyperpolarization occurs during decompensation. These studies emphasized the importance of the venous capacitance vessels during compensation and also suggest that failure of the adrenergic neuroeffector junctions are important in the peripheral vascular failure seen during irreversible shock induced by hemorrhage.

The last two papers given by Drs. Bart Chernow and Bryan Roth from the Bethesda Naval Hospital were entitled "Pharmacological manipulation of the peripheral vasculature in shock states" and "Clinical management of the vasculature in shock states" respectively. These authors emphasize the need for Invovative pharmacological approaches to shock reversal. Agents with known efficacy, probable utility and potential usefulness are discussed in detail. A model of factors which modulate alpha 1 adrenoreceptor function during shock states is also presented.

DISTRIBUTION LIST

Commander
US Army Medical Research and Development Command
ATTN: SGRD-RMS
Fort Detrick, Frederick, Maryland 21701-5012

Defense Technical Information Center (DTIC) ATTN: DTIC-DDAC Cameron Station Alexandria, VA 22304-6145